

**ANALYSIS REPORT No S/CL/2833/22 P**

<b>Customer</b>	MAX HEMP - ARTHA MEDIA GROUP SPÓŁKA Z OGRANICZONĄ ODPOWIEDZIALNOŚCIĄ pl. Zamkowy 24A/1, 55-200 Oława		
<b>Basis for analysis</b> order number, contract number	<b>Subject of analysis</b> sample matrix		<b>Condition of samples</b> correct / incorrect - according to I-01/PO-03 instruction
Z/CL/2833/22	Oil		Correct
<b>Place of sampling</b> according to the Customer's information	<b>Date of sampling</b> according to the Customer's information	<b>Date of samples' delivery to the laboratory</b>	<b>Analysis completion date</b>
No data	No data	25.10.2022	08.11.2022
<b>Analyses conducted by:</b>		<b>Additional information</b>	
EkotechLAB R&D Laboratory, Fiszera 14, 80-231 Gdańsk, Poland		None	

**Samples identification:**

No.	Sample labeling by Customer	Sample labeling by Laboratory
1.	CHT/2806 - LPE	2833/22

**Results:**

No.	Sample code	Subject of determination	Method*	Result ***	Unit
1.	2833/22	Biphenyl	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
2.		2,6-Dichlorobenzonitrile	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
3.		3,4-dichloroaniline	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
4.		Methacrifos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
5.		Ethalfuralin	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
6.		Trifluralin	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
7.		Benfluralin	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
8.		Tetrahydrophthalimide	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
9.		Tetrachloronitrobenzene	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
10.		2,3,5,6-tetrachloroaniline	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
11.		Profluralin	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
12.		Diphenylamine	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
13.		Sulfotepp	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
14.		Fluchloralin	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
15.		Terbufos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
16.		Pentachloronitrobenzene	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
17.		Dichloran	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
18.		Pentachlorobenzonitrile	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
19.		Prodiamine	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
20.		Pentachloroaniline	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
21.		Chlorothalonil	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
22.		Fenchlorphos (Ronnell)	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
23.		Tolclofos-methyl	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
24.		Isopropalin	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
25.		Malathion	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
26.		Dichlofluamid	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
27.	Bromophos methyl	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg	

28.	Pendimethalin	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
29.	Fenthion	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
30.	Bromophos-ethyl	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
31.	Chlorfenvinphos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
32.	Tolyfluanid	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
33.	Bromfenvinphos methyl	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
34.	Prothiofos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
35.	Oxyfluorfen	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
36.	Tetrachlorvinphos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
37.	Bromfenvinphos ethyl	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
38.	Profenofos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
39.	Fenamiphos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
40.	Iodofenphos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
41.	Chlorthiophos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
42.	Nitrofen	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
43.	Ethion	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
44.	Sulprofos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
45.	Carbophenothion	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
46.	Nitralin	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
47.	Edifenphos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
48.	Leptophos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
49.	Coumaphos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg

\* The method is in the form: No. of test procedure / analytical technique / A - accredited, NA - not accredited, P - performed by the subcontractor

\*\* limit of quantification 1 mg/kg

  
mgr inż. Aleksandra Sadzińska  
Specjalista Analiz Instrumentalnych  
**ekotechLAB**

Authorized by MSc. Eng.  
Instrumental Analysis Specialist

  
Dr inż. Marek Klein  
Kierownik Laboratorium  
**ekotechLAB**  
ul. Henryka Siemiradzkiego 2A, 80-301 Gdańsk  
kleinmarek@ekotechlab.pl; kom 448 697 708 582  
NIP: 5842459348; REGON: 221622740

Approved by - PhD Eng. Marek Klein  
Laboratory Manager

\*\*\* The measurement uncertainty is expressed at the customer's request, or when it is relevant for the interpretation of the results - as the expanded uncertainty at the probability level of 95% and the coverage factor  $k = 2$ , the given uncertainty does not include the sampling stage. The laboratory is not responsible for the sampling and transport stage. Without the written consent of the Laboratory, the test report may not be reproduced except in full. The results relate to the tested samples only. The period for submitting a complaint is 14 days from the date of receipt of the report.

**THE END OF REPORT**

Form F-02/PO-03 Valid since 2020.08.28

**ANALYSIS REPORT No S/CL/2834/22 P**

<b>Customer</b>	MAX HEMP - ARTHA MEDIA GROUP SPÓŁKA Z OGRANICZONĄ ODPOWIEDZIALNOŚCIĄ pl. Zamkowy 24A/1, 55-200 Oława		
<b>Basis for analysis</b> order number, contract number	<b>Subject of analysis</b> sample matrix		<b>Condition of samples</b> correct / incorrect - according to I-01/PO-03 instruction
Z/CL/2834/22	Oil		Correct
<b>Place of sampling</b> according to the Customer's information	<b>Date of sampling</b> according to the Customer's information	<b>Date of samples' delivery to the laboratory</b>	<b>Analysis completion date</b>
No data	No data	25.10.2022	08.11.2022
<b>Analyses conducted by:</b>		<b>Additional information</b>	
EkotechLAB R&D Laboratory, Fiszera 14, 80-231 Gdańsk, Poland		None	

**Samples identification:**

No.	Sample labeling by Customer	Sample labeling by Laboratory
1.	CHT/1107 - CO2	2834/22

**Results:**

No.	Sample code	Subject of determination	Method*	Result ***	Unit
1.	2834/22	Biphenyl	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
2.		2,6-Dichlorobenzonitrile	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
3.		3,4-dichloroaniline	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
4.		Methacrifos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
5.		Ethalfuralin	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
6.		Trifluralin	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
7.		Benfluralin	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
8.		Tetrahydrophthalimide	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
9.		Tetrachloronitrobenzene	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
10.		2,3,5,6-tetrachloroaniline	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
11.		Profluralin	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
12.		Diphenylamine	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
13.		Sulfotepp	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
14.		Fluchloralin	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
15.		Terbufos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
16.		Pentachloronitrobenzene	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
17.		Dichloran	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
18.		Pentachlorobenzonitrile	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
19.		Prodiamine	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
20.		Pentachloroaniline	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
21.		Chlorothalonil	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
22.		Fenchlorphos (Ronnell)	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
23.		Tolclofos-methyl	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
24.		Isopropalin	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
25.		Malathion	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
26.		Dichlofluamid	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
27.	Bromophos methyl	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg	

28.	Pendimethalin	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
29.	Fenthion	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
30.	Bromophos-ethyl	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
31.	Chlorfenvinphos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
32.	Tolyfluanid	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
33.	Bromfenvinphos methyl	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
34.	Prothiofos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
35.	Oxyfluorfen	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
36.	Tetrachlorvinphos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
37.	Bromfenvinphos ethyl	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
38.	Profenofos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
39.	Fenamiphos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
40.	Iodofenphos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
41.	Chlorthiophos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
42.	Nitrofen	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
43.	Ethion	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
44.	Sulprofos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
45.	Carbophenothion	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
46.	Nitralin	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
47.	Edifenphos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
48.	Leptophos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
49.	Coumaphos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg

\* The method is in the form: No. of test procedure / analytical technique / A - accredited, NA - not accredited, P - performed by the subcontractor

\*\* limit of quantification 1 mg/kg

  
mgr inż. Aleksandra Sadzińska  
Specjalista Analiz Instrumentalnych  
**ekotechLAB**

Authorized by MSc. Eng.  
Instrumental Analysis Specialist

  
Dr inż. Marek Klein  
Kierownik Laboratorium  
**ekotechLAB**  
ul. Henryka Siemiradzkiego 2A, 80-301 Gdańsk  
kleinmarek@ekotechlab.pl; kom 448 697 708 582  
NIP: 5842493948; REGON: 221622740

Approved by - PhD Eng. Marek Klein  
Laboratory Manager

\*\*\* The measurement uncertainty is expressed at the customer's request, or when it is relevant for the interpretation of the results - as the expanded uncertainty at the probability level of 95% and the coverage factor  $k = 2$ , the given uncertainty does not include the sampling stage. The laboratory is not responsible for the sampling and transport stage. Without the written consent of the Laboratory, the test report may not be reproduced except in full. The results relate to the tested samples only. The period for submitting a complaint is 14 days from the date of receipt of the report.

**THE END OF REPORT**

Form F-02/PO-03 Valid since 2020.08.28

### ANALYSIS REPORT No S/CL/2835/22 P

<b>Customer</b>	MAX HEMP - ARTHA MEDIA GROUP SPÓŁKA Z OGRANICZONĄ ODPOWIEDZIALNOŚCIĄ pl. Zamkowy 24A/1, 55-200 Oława		
<b>Basis for analysis</b> order number, contract number	<b>Subject of analysis</b> sample matrix		<b>Condition of samples</b> correct / incorrect - according to I-01/PO-03 instruction
Z/CL/2835/22	Oil		Correct
<b>Place of sampling</b> according to the Customer's information	<b>Date of sampling</b> according to the Customer's information	<b>Date of samples' delivery to the laboratory</b>	<b>Analysis completion date</b>
No data	No data	25.10.2022	08.11.2022
<b>Analyses conducted by:</b>		<b>Additional information</b>	
EkotechLAB R&D Laboratory, Fiszera 14, 80-231 Gdańsk, Poland		None	

#### Samples identification:

No.	Sample labeling by Customer	Sample labeling by Laboratory
1.	CHT/3309 - ALK	2835/22

#### Results:

No.	Sample code	Subject of determination	Method*	Result ***	Unit
1.	2835/22	Biphenyl	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
2.		2,6-Dichlorobenzonitrile	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
3.		3,4-dichloroaniline	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
4.		Methacrifos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
5.		Ethalfuralin	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
6.		Trifluralin	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
7.		Benfluralin	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
8.		Tetrahydrophthalimide	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
9.		Tetrachloronitrobenzene	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
10.		2,3,5,6-tetrachloroaniline	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
11.		Profluralin	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
12.		Diphenylamine	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
13.		Sulfotepp	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
14.		Fluchloralin	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
15.		Terbufos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
16.		Pentachloronitrobenzene	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
17.		Dichloran	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
18.		Pentachlorobenzonitrile	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
19.		Prodiamine	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
20.		Pentachloroaniline	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
21.		Chlorothalonil	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
22.		Fenchlorphos (Ronnell)	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
23.		Tolclofos-methyl	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
24.		Isopropalin	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
25.		Malathion	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
26.		Dichlofluamid	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
27.	Bromophos methyl	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg	

28.	Pendimethalin	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
29.	Fenthion	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
30.	Bromophos-ethyl	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
31.	Chlorfenvinphos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
32.	Tolyfluanid	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
33.	Bromfenvinphos methyl	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
34.	Prothiofos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
35.	Oxyfluorfen	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
36.	Tetrachlorvinphos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
37.	Bromfenvinphos ethyl	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
38.	Profenofos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
39.	Fenamiphos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
40.	Iodofenphos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
41.	Chlorthiophos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
42.	Nitrofen	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
43.	Ethion	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
44.	Sulprofos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
45.	Carbophenothion	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
46.	Nitralin	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
47.	Edifenphos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
48.	Leptophos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg
49.	Coumaphos	PB-CL-4:2019/issue.2.from 04.06.2020/GCMS/NA	Not detected**	mg/kg

\* The method is in the form: No. of test procedure / analytical technique / A - accredited, NA - not accredited, P - performed by the subcontractor

\*\* limit of quantification 1 mg/kg

  
mgr inż. Aleksandra Sadzińska  
Specjalista Analiz Instrumentalnych  
**ekotechLAB**

Authorized by MSc. Eng.  
Instrumental Analysis Specialist

  
Dr inż. Marek Klein  
Kierownik Laboratorium  
**ekotechLAB**  
ul. Henryka Siemiradzkiego 2A, 80-301 Gdańsk  
kleinmarek@ekotechlab.pl; kom 448 697 708 582  
NIP: 5842459348; REGON: 221622740

Approved by - PhD Eng. Marek Klein  
Laboratory Manager

\*\*\* The measurement uncertainty is expressed at the customer's request, or when it is relevant for the interpretation of the results - as the expanded uncertainty at the probability level of 95% and the coverage factor  $k = 2$ , the given uncertainty does not include the sampling stage. The laboratory is not responsible for the sampling and transport stage. Without the written consent of the Laboratory, the test report may not be reproduced except in full. The results relate to the tested samples only. The period for submitting a complaint is 14 days from the date of receipt of the report.

**THE END OF REPORT**

Form F-02/PO-03 Valid since 2020.08.28